





公司简介

浙江茂源橡塑股份有限公司

地址:位于浙江省台州市天台三合工业园区

认证:IS09001:2015

BSCI社会责任认证

所有在售颗粒类产品均有SGS检验报告

IS018000-6C智能标签预写入服务。

品质:产品符合SGS国标检验标准,原材料可溯源,可要求出厂附熔指报告,拉伸力报告,含水量报告等

种类:高熔指PP,TPR/TPE弹性体,软性PVC,PP工程料改性等

应用范围:注塑,挤出,涂塑,电线,拉管等

另外,我司还是路锥等道路安全产品,汽车脚垫,座垫,方向盘套等汽车用品的主要生产厂家之一,公司产品畅销美国、欧洲、中东、东南亚、非洲等50多个国家和地区。

我们一直注重高质量、新颖实用的设计、最具竞争力的价格,同时我们也一直注重新产品的开发,以满足各种市场需求。我们以质量求信誉、开拓新产品求发展为宗旨,热忱欢迎国内外客户光临我厂洽谈业务,合作共赢。

Company Profile

ZHEJIANG MAOYUAN RUBBER & PLASTIC CO., LTD. was established in 2000, located in Sanhe Industrial Zone, Tiantai, Taizhou City, Zhejiang Province.Our company area is about 16000 square meters.We've got BSCI approval, Business Social Compliance Initiative. And we 've passed ISO9001:2015 certificate at the same time.

Our main products are MBPP, TPE, TPR & PVC raw materials, applied to food grade packages, such as beer bottle cap, beverage bottle cap, injection, extrusion, medical mask, plastic coating, electric wire, cable, fire extinguisher pipe, sealing element of handlebar grip, etc. Besides, we are one of the main manufacturers of traffic cone, car floor mats, car cushion and Steering wheel cover in China. Our products are now very popular in over 50 countries and regions, such as America, Europe, Middle East, Southeast Asia, Africa, etc.

We always focus on best quality, novelty and utility design, and most competitive prices. Meanwhile, we always pay great attention to the development of new products, to satisfy the various market demands. We aim to make continuous efforts to seek for quality and reputation, and exploit new products for development.

We warmly welcome the customers from all over the world to visit our factory for business and cooperation on long term mutual benefits.

































Contents

	安全围栏 Safety Fences	01
٨	PE 路锥 PE Traffic Cones	03
A	PVC 路锥 PVC Traffic Cones	05
۵	EVA路锥 EVA Cones	07
11	连接杆 Cone Bar	07
	PE路锥 PE Cones	80
	橡胶路锥 Rubber Traffic Cones	09
	伸缩路锥 Collapsible Cones	11
	弹性警示柱 Flexible Posts	13
11	1.1M 警示柱/诱导标 Delineators	15
	塑料警示板 Vertical Panels	15
3000	链条 Plastic Chains	16
	减速带 Speed Bumps/Speed Humps	17
	盲道 Blind Road Brick	19
	线槽减速带 Cable Protectors	21
AAA	橡胶减速垫 Rubber Speed Cushions	24
	定位器 Parking Curbs/Parking Blocks/Wheel Stoppers	25
****	导向板,防撞块 Wall Protectors	28
	挡车刹	

	道坡 Kerb Ramps	30
0 0	防撞块 D-Type Dock Bumper	30
	橡胶护角/塑料护角 Corner Guards	31
	塑料护栏,水马,防撞桶 Safety Barriers/Water Barriers/Plastic Barrier	33
	铁马铁护栏 METAL BARRIERS	35
	伸缩护栏 Que Manager/Queue Belt Crowd Control Barrier	36
	广角镜 Convex Mirrors	37
NA NA	告示牌 Safety Floor Signs	38
	防眩板 Antiglare Panel	38
	路障灯/太阳能路障灯 Flasher lights/Solar Barricade Lights	39
Comment of the commen	电池 Battery:6V 4R25	4
	警示带 Marking Tape/Barricade Tape/Warning Tapes	42
	反光背心 Safety Vests	43
	分道体 Lane Separator	45
	道钉 Road Studs/Road Reflector	46
11	指挥棒 Traffic Batons/Traffic Wands	47
	警示三角牌 Safety Triangles	48
	安全帽 Safety Helmets/Safety Caps/Hard Hats	49



安全围栏 Underground Warning Mesh >

Underground warning extruded mesh / signal mesh / Underground warning mesh for marking underground

Product Description

- 1. Warning / detection: Under ground pipes and electric lines, oil pipes and communication cable.
- 2.CHIXIN Signal Fence is an under ground warning tape used for the marking and location of buried pipes and cables.lt is laid in the excavation trench about 500mm above the cable or pipe line. During future re-excavation works, the highly visible band will alert excavators to the pipe/ cables below.
- 3.CHIXIN manufactures underground warning meshes for applications in civil engineering that require buried services and utilities to be marked and protected when buried and that provide a visual warning to rogue excavations.


















Photo	Model	Mesh Size(mm)	Weight(g/m²)	Width(m)	Color
	CC-BR060-10040	100×40	60	0.3	Orange/Yellow/
HH	CC-BR080-10040	100 - 40	80	0.0	Blue/Green



安全围栏 Safety Fence 💟

Product Description

- 1. BR type is a UV stabilized fence with rectangular mesh openings designed.
- 2. Strong HDPE plastic resists wind damage and remains flexible in freezing temperatures.
- 3. Slow wind and create drifts for snow storage or where they will not interfere with roadways, driveways, or runways.
- 4. Flexible and easy to handle.









Photo	Model	Mesh Size(mm)	Weight(g/m²)	Width(m)	Color
	CC-BR060-10040		60		
	CC-BR080-10040	100×40	80		Orange/Yellow/
	CC-BR100-10040		100	1/1.22/1.5/1.8	Blue/Green
	CC-BR120-10040		120		
	CC-BR060-07026	70×26	60	- 100 mm - 1	Orange/Yellow/
	CC-BR100-07026		100	1/1.22/1.5/1.8	Blue/Green





Safety Fence SR Series



Photo	Model	Mesh Size(mm)	Weight(g/m²)	Width(m)	Color
	CC-SR060-06535		60		
	CC-SR080-06535	65×35	80		Orange/Yellow/
	CC-SR100-06535		65 × 35	100	1/1.22/1.5/1.8
	CC-SR120-06535		120		Bide/Green
	CC-SR140-06535		140		





塑料 (PE) 路锥 🔽

特点: 耐撞击、防日晒、耐寒以及反光效果好。

材料: 锥体 PE, 底座橡胶。添加了高品质的颜料和抗紫外线成分,使颜色更加稳定持久鲜亮。

反光材料: 高亮反光膜,在夜间,灯光打在上面,能发出耀眼的光,让司机清晰可见,安全驾驶,躲避障碍。







03



Model 型목	Height 高度(cm)	Base Size 底座尺寸(cm)	Reflective Collars Size 反光带尺寸(cm)	Weight 重量(KG)	PCS/M ³ 包装数量	Loading Quantity 装柜数量 (20')
CC-A01	50	28×28	11	1.5	400	11000
CC-A02	75	38×38	22	2.5	200	5700
CC-A04	100	49 X 49	32	5.0	110	2650

Remark:Reflective Collars Size, Product Weight and Colors could all be customized. 备注: 反光带尺寸、产品重量、颜色都可订制。



We specialize in production and developing safety products for traffic,industrial, construction and other related application.

PE Traffic Cone



Product Description

- 1. Available in three sizes: 50cm, 75cm and 1m.
- 2.Blow moulded body for strength with Rubber base, interlocking two-part design.
- 3. Body can be embossed with company names or logos.
- 4. Heavy duty, 100% recycled cones designed for maximum stability, easy of handling and storage.
- 5.It may also be fitted with warning lights for increasing visibility.



Model (型号) CC-A05



Model (型号) CC-A05-1



Model (型号) CC-A02-With Ring



CC-A03



CC-A07



Model (取목) CC-A06



Model (型号) CC-A08



Model (型号) Model (型号) CC-A08-1



CC-A08-2

Model (型号) CC-A43



Model (型号) CC-A44

Model 型号	Height 高度(cm)	Base Size 底座尺寸(cm)	Reflective Collars Size 反光带尺寸(cm)	Weight 重量(KG)	PCS/M ³ 包装数量
CC-A02-With Ring	75	38 X 38	22	2.5	130
CC-A03	75	38 X 38	12+12	2.5	200
CC-A05	50	26 X 26	10	0.6	350
CC-A05-1	50	29 X 29	10	1	300
CC-A06	70	33×33	14	2.2	200
CC-A07	75	43×43	13.5+13.5+13.5	4.5	200
CC-A08	75	38 X 38	43	3	150
CC-A08-1	70	41 X 41	42	2	150
CC-A08-2	67	32 X 32	38	0.5-0.7	150
CC-A43	75	42 X 42	14.5+14.5	3.9	150
CC-A44	75	44×44	30	4.5	130





Orange Fluorescent PVC Traffic Cone N


Product Description

性能: 可180度扭曲踩压,顶尖触地,能迅速恢复原状。良好的柔 韧性能够承受车辆滚压和撞击。良好的耐候性,高温65℃ 不变形,低温-30℃不开裂。反光效果极强,白天夜晚均有 很好的警示效果。防紫外线,不易老化、经久耐用。

材料: 100%环保改良性PVC。


颜色: 荧光橙红、红色、蓝色、黄色、绿色、白色(可按要求定 做)。

- 1.All vinyl construction assures durability and flexibility in all weather conditions.
- 2.Long lasting brilliant fluorescent color provides high visibility protection.
- 3.Ultraviolet stabilized color provides maximum resistance to fading.
- 4. High density base creates low center of gravity for maximum stability.
- 5. Available in various weights and styles to meet specific needs.
- 6. Options, such as stenciling, hot stamping, reflective collars, or flagadapters are available.









CC-A301

Rotatable CC-A302

Model 型号	Height 高度(cm)	Base Size 底座尺寸(cm)	Reflective Collars Size 反光带尺寸(cm)	PCS/M³ 包装数量	Loading Quantity 装柜数量 (20')
CC-A30	30	21X21	As requested(根据要求)	650	19000
CC-A45	45	28X28	10 or as requested	390	11000
CC-A47	47	30X30	10+10 or as requested	390	11000
CC-A50	50	28X28	10+10 or as requested	390	11000
CC-A70	70	35X35	10+10 or as requested	170	4800
CC-A75	75	40X40	10+10 or as requested	150	1820
CC-A90	90	36X36	10+10 or as requested	100	3000
CC-A301	50	38.5X38.5	As requested (根据要求)	-1	-1
CC-A302	71	35X35	As requested (根据要求)	1	1



Black Base PVC Traffic Cone N

Product Description

- 1.Injection molded traffic cones don't stick together.
- 2.Interlocking design secures fluorescent portion of cone to recycled black PVC base.
- 3.Brilliant fluorescent red/orange traffic cones with UV inhibitors to resist fading.
- 4. Superior flexibility in heat and cold PVC traffic cones bounce back from an impact.
- 5. Cleated black bases grip the road, while wide body design ensures stability.













CC-PV91



Top Diameter:8,3cm Bottom Diameter:9.3cm Material: PE

36X36



100



Belt color: red/white or yellow/black

2880

Model 型号	Height 高度(cm)	Base Size 底座尺寸(cm)	Reflective Collars Size 反光带尺寸(cm)	PCS/M ³ 包装数量	Loading Quantity 装柜数量 (20')
CC-PV30	30	22X22	As requested(根据要求)	650	17500
CC-PV45	45	27X27	10 or as requested	390	9280
CC-PV70	70	36X36	15+10 or as requested	170	3420
CC-PV75	75	40X40	15+10 or as requested	100	2880
CC-PV90	90	37X37	15+10 or as requested	100	2880

15+10 or as requested





1. This item is made of non-toxic, environmentally friendly PE, which enables

2. Suitable for schools and other organisations to hold activities, as well as car



EVA Traffic Cone

特点:

- 1.本产品由EVA材料制作而成,耐压,可弹性强,耐晒、耐 水、耐老化,耐用;
- 2.美观大方,红色本体,配上不同颜色的反光材料,无论是 白天还是夜晚都具有良好的反光效果,是一款很好的隔离 警示产品:
- 3.在夜间,它能发出耀眼的光,是司机能看得更清楚。





Product Description



1.Made of high quality EVA with rubber base, pressureproof, strong elasticity,

reflective tapes could show much better reflective effects at both day and night,

2. Nice and decent, red upper cone part together with the different colors

3.At night, it can reflect dazzling light and make the drivers see clearly.

anti-sunburn, waterproof, anti-ageing, and highly durable.

which is quite a good safety warning product.

Model 型목	Height 高度(cm)	Base Size 底座尺寸(cm)	Reflective Collars Size 反光带规格(cm)
CC-A55	50	32.5x32.5	14
CC-A56	70	42.5x42.5	14+4.5
CC-A58	70	42.5x42.5	41.5

Cone Bar N

Product Description

- 1.Our Cone Bar converts traffic cones into a pedestrian barricade in seconds.
- 3. Reusable, highly reflective at night, and it creates true work-site traffic control.

2.Reflective, lightweight & portable.

Model (型号):CC-IR02

Size:(L)200cm x(DIA)3.5cm

Non-retractable



Model (型号):CC-IR01 Retractable Size:(L)200cm x(DIA)3.5cm









Reflective, expandable and versatile cone bar!

MAOYUAN

Product Description

parking in real estates.

PE Traffic Cone



特点:

- 1.产品材料为环保PE,无毒无味。具有很好的韧性,耐水、 耐老化、使用寿命长。
- 2.产品适用于体育场,学校,单位,机关团体举行大型活动, 小区停车等。







Model (型号) CC-A203



Model (型号) CC-A204



good flexibility,water-proof and ageing resistance.

Model (型号) CC-A208



CC-A209



Model (型号) CC-A205



Model (型号) CC-A206



Model (型号) CC-A202



Model (型号) CC-A210



CC-A211

Model 퓊목	Height 高度(cm)	Base Size 底座尺寸(cm)	Weight 重量(KG)
CC-A201	17	13 X 13	0.04
CC-A202	22.5	13 X 13	0.06
CC-A203	23.5	14 X 14	0.14
CC-A204	28	14.5 X 14.5	0.12
CC-A205	29	23	0.18
CC-A206	29	21.5 X 21.5	0.16
CC-A208	38	20 X 20	0.26
CC-A209	47	21 X 21	0.38
CC-A210 35.5		20.5X 20.5	0.26
CC-A211	50	23 X 23	0.38





Model (型号) CC-IR03 Length: 1000mm Dia; 20mm





Rubber Traffic Cone



Product Description

- 1. Available in four sizes: 50cm, 70cm, 75cm and 1m.
- 2.100% Rubber ,form in one piece,flexibility.
- 3.Base can be embossed with company name or logo.
- 4. Heavy duty, 100% recycled cones designed for maximum stability, ease of handling and storage.
- 5.It may also be fitted with flashing lights for increasing visibility.











Model (型号)

CC-A12



Model (型号) CC-A11

PCS/M3 Model Height Base Size Reflective Collars Size **Loading Quantity** 装柜数量 (20') 型号 高度(cm) 底座尺寸(cm) 反光带尺寸(cm) 包装数量 CC-A09 50 14 7000 35X35 250 CC-A10 50 35 X 35 10+10 250 7000 CC-A11 70 38 X 38 14+5 200 5600 CC-A12 70 38 X 38 10+10+14 200 5600 50 41 CC-A13 35 X 35 250 7000 CC-A14 70 38 X 38 56 200 5600



橡胶路锥 💟

特点:具有耐撞击、防日晒、耐寒、不龟裂、不变色等优点。同时具有反光效果好,弹性强、不起皱等特点。

材料:橡胶。添加了高品质的颜料和抗紫外线成分,使颜色更加稳定鲜亮。

反光材料: 高亮反光膜,在夜间,灯光打在上面,能发出耀眼的光,让司机清晰可见,安全驾驶,躲避障碍。













Model 型号	Height 高度(cm)	Base Size 底座尺寸(cm)	Reflective Collars Size 反光带尺寸(cm)	PCS/M ³ 包装数量	Loading Quantity 装柜数量 (20')
CC-A26	75	38 X 38	32	120	3500
CC-A27	75	38 X 38	32	120	3500
CC-A29	75	38 X 38	14+14+14.5	120	3500
CC-A100	100	49 X 49	32	55	1600
CC-A101	100	49 X 49	32	55	1600
CC-A102	100	49 X 49	12+14.5+14.5	55	1600





Collapsible Cones / Retractable Traffic Cones



Product Description

- 1. Collapses flat for easy storage, it can be stored easily in a car trunk, utility truck, or tool box.
- 2.Made of durable nylon, with reflective stripes.
- 3.With LED light in the bottom of the cones or on the top of the cones, over 55cm height it can be detached and stored in the base of the cone.
- 4.Includes the white box that holds the cone and light, it also could be packed with color box or bag.
- 5.It also could add rubber feet to resist moving from high winds or passing cars & trucks.
- 6.Perfect for emergency responders, Fire/EMS or simply as an emergency traffic cone kit for motorists.



Collapsible Cone with ABS Base





CC-RUB70 CC-RUB90

Collapsible Cone with Rubber Base





Model 型号	Height 高度(cm)	Base Size 底座尺寸(cm)	PCS/CTN 装箱数量	G.W/N.W 毛净重(KG)	MEAS 箱规(cm)
CC-AB40	40	24.4 X 24.4 X 3.75	20	10.0/12.0	52 X 26.5 X 44.5
CC-AB45	45	24.4 X 24.4 X 3.75	20	10.6/12.6	52 X 26.5 X 44.5
CC-AB50	50	24.4 x 24.4 x 3.75	20	11.4/13.4	52 × 26.5 × 44.5
CC-AB55	55	30.5 × 30.5 × 5	10	9.3/11.3	60 x 32.5 x 33
CC-AB60	60	30.5 x 30.5 x 5	10	9.7/11.7	60 x 32.5 x 33
CC-AB65	65	30.5 x 30.5 x 5	10	10.1/12.1	60 x 32.5 x 33
CC-AB70	70	30.5 x 30.5 x 5	10	10.5/12.5	60 x 32.5 x 33
CC-RUB70	70	38x 38	5	20/21	40x28x40
CC-RUB90	90	38x 38	5	21/22	40x28x40



伸缩路锥

特点:具有弹性好、体积小、携带方便等优点,并且顶部可以安装LED警示灯。

材料: 荧光布;

反光材料:通过CE认证的反光带;

包装: PP袋+白盒, 每只一盒。









PP材料底座

Collapsible Cone with PP Base

Model 型号	Height 高度 (cm)	Base Size 底座尺寸(cm)	PCS/CTN 装箱数量	G.W/N.W 毛净重(KG)	MEAS 箱规(cm)
CC-PP30	30	19 X 19 X 4.5	40	9.7/11.7	52 X 40 X 40
CC-PP40	40	24.5 X 24.5 X 3.6	20	8.6/10.6	52 X 26.5 X 44.5
CC-PP45	45	24.5 X 24.5 X 3.6	20	9.3/11.3	52 X 26.5 X 44.5
CC-PP50	50	24.5 X 24.5 X 3.6	20	10.0/12.0	52 X 26.5 X 44.5
CC-PP55	55	30.6 X 30.6 X 3.8	10	6.4/8.4	45 X 32.5 X 32.5
CC-PP60	60	30.6 X 30.6 X 3.8	10	6.8/8.8	45 X 32.5 X 32.5
CC-PP65	65	30.6 X 30.6 X 3.8	10	7.0/9.0	45 X 32.5 X 32.5
CC-PP70	70	30.6 x 30.6 x 3.8	10	7.2/9.2	45 x 32.5 x 32.5

Product Packing & Accessories

































Orange Flexible Posts N

Product Description

- 1. Available in 450mm, 750mm high, the Lane-Flex has a model to suit most applications.
- 2. Our posts are the most durable and the brightest in the industry.
- 3.One piece moulded Polyurethane, TPR or EVA construction.
- 4. High performance reflectors.
- 5. Available in orange as standard. Custom colors available by special order.



Model 필목	Height (cm)	Base Diameter (cm)	Reflective Collars Size (cm)	Weight (KG)	PCS/M³	Reflective Color
CC-E01	45	20	7.1 X 2	0.45	150	Yellow/white
CC-E02	75	20	7.1 X 3	1.3	88	Yellow/white
CC-E03	75	20	7.1 X 3	0.55/0.63/0.8/0.9	88	Yellow/white
CC-E10	45	20	7.1 X 2	0.16	150	Yellow/white
CC-E11	75	20	7.1 X3	0.30	100	Yellow/white
CC-E12	45	20	7.1 X 2	0.6	150	Yellow/white
CC-E14	86	20	7.5 X 3	0.7\1.3	87	Yellow/white
CC-E15	100	20	5.8 X 4	1.5	75	Yellow/white





Product Description

- 1.Hy-Last, heavy duty elastic rubber, one piece molded base.
- 2.Damaged posts are replaced quickly & easily, The link joint in this post enables it to recover after being hit or runned over many times.
- 3.Material selection and design features enable the Lane-Flex to endure the harshest conditions and punishments.
- 4.It comes in many sizes with reflective options to meet all types of traffic control needs.
- 5.Our posts are the most durable and the brightest in the industry.

6.In low light conditions or at dark, gray winter days when visibility is limited, our fluorescent posts stand out boldly and help more effectively



Model 型号	Height (cm)	Base Diameter (cm)	Reflective Collars Size (cm)	PCS/M³	Material
CC-E04	50	26	15	100	Post:PE Base:Rubber
CC-E05	80	26	30	75	Post:PE Base:Rubber
CC-E06	120	26	45	55	Post:PE Base:Rubber
CC-E07	80	26	45	60	Post:PE Base:Rubber
CC-E08	100	26	45	50	Post:PE Base:Rubber
CC-E13	110	20	1	78	Post:PE Base:Plastic





柱式诱导标 Traffic Delineator / T-Top Stacker Cone N

Product Description

- Delineator posts are made of flexible yet durable fluorescent low density polyethylene material, with UV inhibitors to minimize fading.
- 2.Rubber base is made from 100% recycled rubber,and is easy storage
- 3.Convenient T-handle and molded in bolt hole for barricade lights, plastic chain, barricade tape or rope.
- 4.Improved recesses create a deeper area for reflective bands stronger ribs provide maximum band protection.
- Heavy duty base available in 6kg (standard) or 8kg (extra heavy).
- 6.Company name stenciling available.



Model:CC-F01 Height:1100mm Base size:420x420mm Base weigh:6kg or 8kg Post weight:0.8kg PCS/M*:45PCS



Model:CC-F02 Height:1100mm Weight(total):9kg Base size:420x420mm Base weigh:8kg Post weight:1kg PCS/M*:55PCS



Model:CC-F03 Height:850mm Weight(total):0.48kg Base size:285x285mm Base weigh:0.3kg Post weight:0.18kg



Model:CC-F04
Size:720mm
8kg Weighr(total):1,3kg
85mm Base size:200mm
Refcective collars size:90mm



Model:CC=F06 Height:1220mm Weight(total):1.8kg Single face or Double-faced Color:White body with Yellow or White reflector



Model:CC-F07 Height:1100mm Base size:420x420mm Base weigh:6kg Post weight:0.8kg PCS/M³:45PCS



Model:CC-F08
Height:1200mm
Base size:760x350x50mm
Base weigh:14,5kg
Post weight:0.9kg

塑料警示板 Vertical Panels ☑



Model:CC-K04 Height:1100mm Weight(total):13.0kg Base size:500x500mm Bottom width:320mm



Model:CC-K05 Height:1100mm Weight(total):18kg



塑料链条 Plastic Chain >

Product Description

塑料链条有多种规格,多种颜色,可生产任意长度,其主要用于公路防护,酒店、商场,运动场所及公共场所的通道隔离,还可用于玩具厂挂公 仔,服装厂挂衣服和家居用晒衣服等。


1.lt is both strong and durable.

3.lt comes in a range of high visibility colours.

2.Light weight, maintenance free and weather 4.Wide array of colored chain suitable for a variety of both practical and

resistant. decorative uses.















Model 型목	Diameter (mm) 直径	In-Length (mm) 内长	Out-Width (mm) 外宽	Weight/Meter(g) 重量/米	Section 截面
CC-P01	3	13	11	18	Round (圆)
CC-P02	4	27	16	40	Round
		25	22	65	Round
CC-P03	6	27	20	60	Flat(扁)
		41	21	60	Flat
00 001	8	38	27	110	Flat
CC-P04		54	27	106	Flat
CC-P05	10	55	38	185	Round
CC-P06	12	65	40	300	Round





橡胶减速带 Reflective Recycled Rubber Speed Bumps 🔽

特点:

- 1.独特的设计,显著的减速效果,从上面轧过无噪音,无不舒适感。
- 2.高精致橡胶制成,结实,耐用,强抗撞击。
- 3.根据客户需求灵活组合,安装便捷。
- 4. 黄黑两色组合,白天黑夜都能有效地吸引司机的注意力,从而达到成功 减速的效果。
- 5.被广泛使用的最新减速产品之一。主要使用于城市十字路口,高速公路 交叉口,收费站道口,公园村庄入口,停车场,加油站等。

Product Description

- 1. Molded from recycled rubber, tough, durable rubber material.
- 2. Available in black and yellow colours, the yellow is not painted on but yellow rubber compound comressed to the Bump.
- 3. Effective speed reduction.
- 4. Easily installed.
- 5. Contrasting colours and reflectors for visibility day & night.
- 6. Surface tread ensures grip even when wet.
- 7. Easily adjusted to site conditions.
- 8. Highly suitable for permanent & temporary installations.
- 9. Suitable for HGV's.



Model (型号):CC-B01

Centre Section (尺寸):1000x350x50mm、1000x350x42mm、250x350x45mm End Section (端头): 175x350x45/50mm



Model (型号):CC-B02 Centre Section (尺寸):500x350x50mm、500x350x45mm End Section (端头): 175x350x50mm



Model (型号):CC-B03 Centre Section (尺寸):500x330x70mm End Section (端头):170x330x70mm



Model (型号):CC-B04 Centre Section (尺寸):1000x380x50mm End Section (端头):190x380x50mm



Model (型号):CC-B24 Centre Section (尺寸):1240x350x50mm



Model (型号):CC-B05 Centre Section (尺寸):500x425x70mm End Section (端头):200x425x70mm



Model (型号):CC-B30 Centre Section (尺寸):1000x300x50mm End Section (端头):170x300x50mm



Model (型号):CC-B27 Centre Section (尺寸):500x350x50mm End Section (端头): 175x350x50mm







Model (型号):CC-B26 Centre Section (尺寸):1000x450x60mm End Section (端头): 250x450x60mm



Model (팬물) ·CC-R06 Centre Section (尺寸):400x500x50mm End Section (端头): 400x150x50mm



Model (型号):CC-B09 Centre Section (尺寸): 500x500x25mm 、500x500x35mm 、500x500x50mm End Section (端头): 500x250x25mm、500x250x35mm、500x250x50mm



Model (필号):CC-B16 Centre Section (尺寸):250x400x70mm End Section (端头):200x400x70mm



Model (型号):CC-B31 Centre Section (尺寸):1000x300x60mm End Section (端头):150x300x60mm



Model (型号):CC-B32 Centre Section (尺寸):1000*300*50mm End Section (端头): 160*300*50mm



Model (型号):CC-B10 Centre Section (尺寸):1830*300*50mm

1830*300*60mm End Section (端头):190*300*50mm

190*300*60mm













Model (型号):CC-B88

Centre Section (尺寸):1000x300x40mm 1000x300x60mm End Section (端头):300x150x40mm 300x150x60mm





Model (型号):CC-B28 Centre Section (尺寸):500x500x30mm 500x500x50mm End Section (端头):500x250x30mm 500x250x50mm



Model (型号):CC-BP01 Portable Speed Hump Centre Section (尺寸):3000x220x40mm



塑料减速带 Yellow / Black Recycled Plastic Speed Bumps 💟



Model (型号):CC-B49 Centre Section (尺寸):500x320x40mm End Section (端头):175x320x40mm



Model (型号):CC-B50 Centre Section (尺寸):500x350x40mm End Section (端头):175x350x40mm

Blind Road Brick



Model (型号):CC-M01 Material (材料):PVC Size (尺寸):300x300x0.7mm





橡胶减速带 Recycled Rubber Speed Humps >




Product Description

- 1. Made from 100% recycled rubber.
- 2. In-molded, reflective highway tape available in yellow or white.
- 3. Interlocking tongue and groove system allows module units to be linked together to cover the width of any roadway.
- 4. End caps are available to help protect modular ends as well as vehicles.
- 5. Can be easily removed for storage / relocation.
- 6. Can be used for temporary or permanent installation.
- 7. Resistant to moisture, oil, temperature variations, ultraviolet light.







Model (型号):CC-B07

Centre Section (尺寸):600x500x30mm 600x500x50mm

End Section (端头尺寸):600x225x30mm

600x225x50mm

Reflective Tape Size:120x120mm (反光带尺寸)





Model (型号):CC-B08

Centre Section (尺寸):900x500x50mm

End Section (端头尺寸):900x250x50mm

Reflective Tape:110x250mm (反光条尺寸)










橡胶线槽减速带 Heavy Duty Cable Protectors ☑

Product Description

21

- 1.Safe, non-conductive PVC top with recycled rubber base.
- Perfect solution for short–term events like fairs, trade shows and conventions.
- 3.Protect pedestrians from dangerous trip & fall hazards.
- 4.Protect expensive cables, cords & hoses from vehicle damage.
- 5.Easy placement & removal of cables/hose lines with open-top style.
- 6.Interlocking two-, three- & five-slot systems, to build the length you need.
- 7.Suitable for use with HGV's and forklift trucks.



Model 型号	Part	Length (mm)	Width (mm)	Height (mm)	Channel	Channel Size (mm)	Material	Color
	Centre section	900	600	75	5	(W)40 X (H)50	THE PERSON OF STATE OF THE PERSON OF THE PER	Body: Black Cover: Yellow
CC-B13	Corner	620	600	75	5	(W)40 X (H)50	Body: Hard rubber Cover:Plastic	
	End Cap	200	600	75	5	(W)40 X (H)50	_ Govern lastic	
	Centre section	900	600	75	3	(W)60 X (H)50	Boston Literatura	Body: Black Cover: Yellow
CC-B14	Corner	620	600	75	3	(W)60 X (H)50	 Body: Hard rubber Cover: Plastic 	
	End Cap	200	600	75	3	(W)60 X (H)50		



(e specialize in production and developing safety products for traffic,industrial ,construction and other related application.




Model (型号):CC-B12















Part	Length (mm)	Width (mm)	Height (mm)	Channel	Channel Size (mm)	Material	Color
Centre section	900	500	70	3	(W)60 X (H)50	Body: Hard rubber Cover:Plastic	Body:Black Cover:Yellow or Red
Centre section	1000	245	45	2	(W)25 X (H)30	Body: Hard rubber Cover: Plastic	Body:Black Cover:Yellow
Centre section	900	580	90	2	(W)95 X (H)70	Body: Hard rubber Cover: Plastic	Body:Black Cover:Yellow
Centre section	900	500	60	4	(W)45 X (H)40	Body: Hard rubber Cover: Plastic	Body:Black Cover:Yellow
Centre section	1000	300	45	3	(W)35 X (H)30	Body: Hard rubber Cover: Plastic	Body:Black Cover:Yellow
	20% (G)	70,000,00		3	(W)28X (H)38	Podus Hard rubbar	Body:Black Cover:Yellow
Centre section	915	550	:53	2	(W)42X (H)38	Cover: Plastic	
	Centre section Centre section Centre section Centre section	Centre section 900 Centre section 1000 Centre section 900 Centre section 900 Centre section 1000	Centre section 900 500	Centre section 900 500 70	Part (mm) (mm) (mm) Channel Centre section 900 500 70 3 Centre section 1000 245 45 2 Centre section 900 580 90 2 Centre section 900 500 60 4 Centre section 1000 300 45 3 Centre section 915 550 53	Centre section 900 500 70 3 (W)60 X (H)50	Centre section 900 500 70 3 (W)60 X (H)50 Sody: Hard rubber Cover: Plastic






橡胶线槽减速带 Drop Over Cable Protectors >>

Product Description


- 1. Tread plate surface provides maximum traction for
- 2. These low profile protectors are compact for easy set up, disassembly, and storage.
- 3. For lightweight vehicles and pedestrian traffic.
- 4. Choose three colors:yellow/orange (for high visibility) or black (for a discreet look).
- 5. Connect alternating colors to enhance visual warning.


















Model (型号):CC-B99







Model 型号	Part	Length (mm)	Width (mm)	Height (mm)	Channel	Channel Size (mm)	Material	Color
CC-B15	Centre section	1240	270	40	2	(W)45 X (H)25	rubber	Black/Yellow/Orange
CC-B23	Centre section	920	430	75	2	(W)60 X (H)55	rubber	Black
CC-B51	Centre section	1000	130	20	1	(W)38 X (H)13	PVC	Yellow
CC-B52	Centre section	-	75	25	1	(W)35 X (H)15	PVC	Black
CC-B99	Centre section	1000	140	20	1	(W)30 X (H)10	rubber	Black
CC-B100	Centre section	1000	220	35	1	(W)90 X (H)25	rubber	Black



橡胶减速垫 Rubber Speed Cushion >>







Model (型号) :CC-B68







Model 型号	Part	Length (mm)	Width (mm)	Height (mm)	Screw QTY (PCS)	Material	Color
	Centre section	900	750	65	5	rubber	Red
CC-B68	End section	900	750	65	6	rubber	
CC-B06	Centre section 900 750 65	5	rubber	Disale			
	End section	900	750	65	6	rubber	Black

Remark: Assembled randomly, Usually assembled by 6 or 8pcs







橡胶车轮定位器 Striped Rubber Wheelstop / Parking Blocks 💟

橡胶定位器,主要安装在车位上,以防止车辆向后停车的时候撞上障碍物,起到保护车辆的作用,是停车的好拍档。

Product Description

- 1. Made of 100% recycled rubber.
- For easy installation, each Parking Block is drilled before shipment.
- 3. Highly visible & extremely durable.
- 4. Temporary or permanent installation.
- 5. Less damaging to vehicles upon impact.
- 6. Molded in, Reflective tape ensures maximum visibility, even at night!.
- 7. Resistant to UV rays, moisture, oil & extreme temperatures.



Model (型号):CC-D02



Model (型号):CC-D18



Model (型号):CC-D03



Model (型号):CC-D07



Model (型号):CC-D04



Model (型号):CC-D05







Model 퓊 号	Length 长度(mm)	Width 宽度(mm)	Height 高度(mm)
CC-D02	500	160	100
CC-D03	500	160	100
CC-D04	500	120	100
CC-D05	600	120	100
CC-D07	750	150	120
CC-D18	1000	160	100



橡胶车轮定位器 Striped Rubber Wheelstop / Parking Blocks



















Model 型 号	Length 长度(mm)	Width 宽度(mm)	Height 高度(mm)
CC-D08/CC-D08-1	1650	140	100
CC-D09	1830	150	100
CC-D11	900	150	100
CC-D19	550	150	100
CC-D29	1650	160	100







橡胶车轮定位器 Striped Rubber Wheelstop / Parking Blocks



Model (型号):CC-D13





Model (型号):CC-D32



Model (型号):CC-D26 Materal (材料):PVC





Model 型 号	Length 长度(mm)	Width 宽度(mm)	Height 高度(mm)	Material 材质
CC-D13	550	150	100	Rubber
CC-D14	540	150	100	Rubber
CC-D26	550	150	85	Plastic
CC-D32	560	150	100	Rubber

槽钢挡车器 Steel Wheel Stops >>



Model (型号):CC-D49

Material: High quality steel pipe.

Color: yellow/black.

Pipe diameter(mm): 75

Length (cm): 200 Height (cm): 10

Thickness(mm):1.5/1.8/2.0

Remark: We can be customized according to customer needs.



Wall Protector / Wall Guard

Product Description

- 1.Strong, shock-absorbing, durable polyurethane foam.
- 2. Highly visible bright yellow with black stripes.
- 3. Prevent Personal Injury & Protect Walls, Machinery, Equipment.
- 4.Use indoors & outdoors in normal dry conditions.
- 5. Simple, Economical Fixing.
- 6.Tough, Reliable Performance.









Model (型号):CC-WP01 Size (尺寸):1000x200x8mm Material (材质):Rubber



Model (型号):CC-C31 Size (尺寸):980x200x90mm Material (材质):Rubber





Model (型号):CC-C32 Size (尺寸):980x190x80mm Material (材质):Rubber







Steel Retainer Corner Guard

Model (型号):CC-C34 Size: 1Meter per 2KG The Min Length: 10CM The Max Length:20Meter It could be used on the wall. The size could be customized.





Wheel Chocks >



Product Description

- 1. Keep equipment secure and ensure worker safety on worksites and in highway traffic areas from rolling equipment and vehicles.
- 2. Convenient carry handle ensures easy mobility.
- 3. Includes convenient molded carrying handle and accessory hole for ropes, chains, or mounting brackets.









Model (型号):CC-D27

Model (型号):CC-D12

Model (型号):CC-D06













Model (型号):CC-D16

Model (型号):CC-D17

Model (型号):CC-D23











Model (型号):CC-D28

Model (型号):CC-D46

Model 필목	Length长度 (mm)	Width宽度 (mm)	Height高度 (mm)
CC-D06	240	165	195
CC-D12	250	160	190
CC-D16	200	100	150
CC-D17	270	120	180
CC-D23	230	150	175
CC-D27	255	245	185
CC-D28	300	260	150
CC-D46	250	200	150



traffic,industrial, construction and other related application.

道坡 Recycled Rubber Kerb Ramps / Curb Ramps 🔽

Product Description

- 1. Made from 100% recycled rubber.
- 2. Ramps are reusable, easily stacked and transportable, saving even more for future jobs.
- 3. Also used to provide temporary ramp into driveways during construction along curbs.
- 4. Suitable for large and small vehicles including hand trolleys.







Model (型号):CC-RR02



Model (型号):CC-RR03







Model (型号):CC-RR05



Model 型목	Length 长度(mm)	Width 宽度(mm)	Height 高度(mm)
CC-RR01	475	420	105
CC-RR02	480	320	130
CC-RR03	1000	250	40
CC-RR04	490	310	100
CC-RR05	500	270	135

D-Type Dock Bumper





Model (型号):CC-C33 Top Size (尺寸):280x80mm Bottom Size (尺寸): 300x100mm Height (高度):110mm Material (材质):Rubber





橡胶护墙角 Rubber Corner Guard >

特点: 优质橡胶精制而成、高亮反光膜, 黑黄相间, 安装方便, 牢固耐用。

Product Description

- 1.Constructed from high impact resistant rubber.
- 2.Includes reflective yellow strips for visibility.
- 3.Designed to protect the corners of a building from damage.
- 4. Works great inside and outside.

5. This corner guard not only protects the structure and appearance of a building but also prevents scratches and dents to the vehicle.









Model (型号) CC-C01

Model

型号

CC-C01

CC-C02

CC-C03

CC-C04

CC-C05

CC-C06



Model (型号) CC-C02

Height

(mm)

600

800

900

600

800

1000



Model (型号) CC-C03

Ply 厚度(mm)

10

8/10/12/14/16

9

20

20

8/10/12



Model (型号) CC-C04



Model (型号) CC-C05



Model (型号) CC-C06













Model 型목	Height (mm)	Ply 厚度(mm)
CC-C07	1000	20
CC-C08	1200	10
CC-C09	1200	20
CC-C10	1500	13

EVA Corner Guards / Plastic Corner Guards



Product Description

- 1.Made of Plastic raw materials.
- 2.Non-toxic, durable and cold & hot resistant.
- 3. Easy installation and durable product.

4. Anti-bumping, shockproof, easy cleaning.

5. Available in different colours.







Model (型号)







Model (型号)









Model 型号	Height (mm)	Material 材质	Color 颜色
CC-C20	600	EVA	Red/Yellow/Black
CC-C21	800	EVA	Red/Yellow/Black
CC-C22	800	PE	Red/Yellow/Black
CC-C24	800	EVA	Black with reflective film







防撞桶、水马 Safety Barriers / Water Barriers / Road Barrier 💟

Product Description

一次成形,抗寒,防日晒,耐撞击,不易老化;装入水,水马的弹性会更好;不装水,便于移动。夜间,反光部分很显眼。适用于高速公路入口, 马路拐弯处,收费站口以提醒司机减缓速度。

1.Lightweight for easy loading & installation. 2.Fill with water or sand for "heavy-duty" use. 3.Polyethylene construction with reflective tape for high visibility.

4.Integrated lock of each barrier can be linked to line with any angle or barrier chain.



Model (型号):CC-S01



Model (型号):CC-S03



Model (型号):CC-S05



Model (型号):CC-S06



Model (型号):CC-S07



Model (型号):CC-S08

Model 型号	Product Name 产品名称	Height (mm)	Length (mm)	Top Width (mm)	Bottom Width (mm)	Water Capacity (KG)
CC-S01	Circ crashworthy bucket	800	Diameter:600	1	t.	200
CC-S03	Roadside Barrier	560	560	150	350	60
CC-S05	Big Fence	1200	1500	150	430	200
CC-S06	Blow Molded Single-hole Water Horse	650	1300	200	430	200
CC-S07	Blow Molded Double-hole Water Horse	650	1650	150	450	300
CC-S08	Blow Molded Three-hole Water Horse	780	1400	170	360	300













Model (型号):CC-S02

Model (型号):CC-S11

Model (型号):CC-S13



Model (型号):CC-S09



Model (型号):CC-S10



Model (型号):CC-S14



Model (型号):CC-S18



Model (型号):CC-S12



Model (型号):CC-S15



Model (型号):CC-S16

Model 型号	Product Name 产品名称	Height (mm)	Length (mm)	Top Width (mm)	Bottom Width (mm)	Water Capacity (KG)
CC-S02	Water Barrier	800	2000	145	400	400
CC-S09	Barrier	1000	2000	7	I	1
CC-S10 Plastic Roadside Barrier	4050	1500		y		
	islastic (Coadside Darrier	1050	2000	1	1.	e D
CC-S11	Crashworthy Barrel	1100	Diameter:540	7	L	J.
CC-S12	Traffic Barrel	1100	Barrel Diameter:580mm	Base Diameter:850r	nm Material: PE	Barrel,Rubber Base
CC-S13	Foldable expandable Barricade	960	390-2400	1	1	1
CC-S14	Traffic Fence	1000	2000	100	I	60
CC-S15	Traffic Barrel	900	Barrel Diameter:300-470m	nm Base Diameter:57	70mm Material: F	E Barrel,Rubber Base
CC-S16	Traffic Barrel	1060	Base Size:410*410mm Material: PE			
CC-S18	Traffic Barrel	1000	Barrel Diameter:400mm(Top) Barrel Diameter:505mm(Bottom)			










铁马铁护栏 METAL BARRIERS 💟

Product Description


- 1. Temporarily manage foot traffic around job sites, festivals and sporting events.
- 2. Barriers interlock to create long runs.
- 3. Easy to set up and take down.
- 4. Hook and eyes welded to sides.
- 5. It is provided a highly visible, safe pedestrian barrier or traffic management system.



Model: CC-S21

Fastening: Hook Fastening
Feet: Fixed Metal Feet
Material: High quality steel pipe.
Length (cm): 150
Height (cm): 98
Remark: We can be customized according to





Model: CC-S22

Fastening: Hook Fastening

Feet: Loose Leg (Loose legs supplied seperately)

Material: High quality steel pipe.


Length (cm): 150 Height (cm): 101

Remark: We can be customized according to customer needs.









Model: CC-S23

Fastening: Hook Fastening Feet: Fixed Metal Feet

Material: High quality steel pipe.

Length (cm): 150

Height (cm): 98

Remark: We can be customized according to customer needs.





伸缩护栏 Que Manager/Queue Belt Crowd Control Barrier N

Product Description

- 1. Each post comes with its own belt assembly.
- 2. Manual locking belt end clip.
- 3. Ideal for indoor and outside use in establishments such as hotels, clubs and exhibition centers.
- 4. They are suitable for crowd control purposes such as events queues and can easily be unhooked.



Model: CC-Q01

Retractable Belt Lengths:2/3meter Height:90CM Weight:5.5KG

Base Diameter:31CM Material:Plastic

Color: Red/Yellow/Green/Blue/White/Black









广角镜 Wide-angle Convex Mirror N



特点:

适用于各种转角处。例如便利店、大型超市、马路拐角处、 工厂、停车场等。广角镜耐磨损, 抗紫外线照射, 持久耐 用, 镜面图像清晰, 安装便捷。

镜面材料:

进口的PC和丙烯酸

镜背面材料:

ABS 或者 抗老化树脂玻璃纤维。



- 1, 130 degree of viewing angle.
- 2. Lightweight, shatterproof and easily installed.
- 3. Includes mounting bracket and hardware.
- 4. Help avoid collisions at blind or obscured intersections.
- 5. They also assist supervision of machinery or production lines, giving that extra observation point.
- 6. Our range of mirrors are strong, stable and able to withstand all weather conditions without fading or cracking.



















Model 型 号	Specification 规格(cm)	Material of Mirror Face 镜面材料	Material of Mirror Back 镜背材料	MEAS(cm) 包装尺寸
CC-W30	30	PC	ABS OR PE	39x8.6x39
CC-W45	45	PC	ABS OR PE	49x9.5x49
CC-W60	60	PC	ABS OR PE	61×10×61
CC-W80	80	PC	ABS OR PE	84x14.5x84
CC-W100	100	PC	ABS OR PE	100x14.5x100
CC-W120	120	PC	ABS OR PE	122x19x122



告示牌 Safety Floor Signs / Floor Sign 💟



Product Description

- 1. Customization available using your own text.
- 2.Built-in carrying handle.
- 3.2-sided floor sign has built-in hinge and folds flat for easy storage or transport on cars.
- 4. High visibility bright yellow color to warn employees or customers of a hazard.
- 5. These plastic portable, two-sided signs set up quickly in hazardous areas to warn bystanders of potential dangers.











Model (型号):CC-CS03 Size:685*300mm Weight: 1.2KG Material: Plastic

防炫板 Antiglare Panel / Anti-dazzling Board N





Model:CC-L01 Material:plastic Size:900x220mm Weight: 1.3kgs





茂源 MAOYUAN

太阳能交通警示灯 Solar Barricade Light



Model: CC-G08

Luminous:4pcs super bright LED Material:PC Lens and ABS Base Power:0.4W solar panel Energy:1.2V 1500mAh NI-MH rechargeable batter Function:Flashing 70 ± 5 times per minute



Model: CC-G09

Material:PS Lens
Power:0.4W solar panel
Energy:2.4V 1000mAh NI–MH rechargeable batter;
Function:Flashing 70±5 times per minute



Model: CC-G12

Edminious.2pcs super bright SWID LED

Material:PS Lens and PP Base

Power:0.4W solar panel

Energy:1.2V 1500mAh NI-MH rechargeable battery

Function:Flashing 95 ± 5 times per minute



Model: CC-G13

Luminous:6pcs super bright LED
Material:PS Lens and PP Base
Power:0.4W solar panel
Energy:2.4V 1000mAh NI-MH rechargeable batter
Function:Flashing 70±5 times per minute

交通路障灯 Barricade Lights / Flasher Lights 🔽





Model:CC-G0

Material: PS Lens and PP Base
Power:1 or 2PCS 4R25 6V battery
Function: Flashing (70 ± 5 times per minute) and steady



Model CC-GD

Luminous:2pcs super bright LED
Material:PS Lens and PP Base
Power:1 or 2PCS 4R25 6V battery
Function:Flashing (70 ± 5 times per minute) and steady



Model: CC-G03

Luminous:2pos super bright LED
Material:PS Lens and PP Base
Power:1 PC 4R25 6V battery
Function:Flashing (70±5 times per minute) and stead:



Model:CC-G0

Material:PS Lens and PP base
Power:2 PCS R20 1.5V battery
Function:Quick flashing 3 times (70 ± 5 times per minute)and steady
Mount bracket is available



Model:CC-G05

Material:PS Lens and PP Base
Power:1or 2 PCS 4R25 6V battery
Function:Flashing(70 ± 5 times per minute)and stead
Mount bracket is available







Model: CC-G07

Luminous:6pcs bright LED or 1pc bulb Material:PS Lens and PP Base Power:1or 2 PCS 4R25 6V battery Function:Flashing(70 ± 5 times per minute)and steady Mount bracket is available




Model: CC-G10

Luminous:2pcs super bright LED Material:PS Lens and PP Base

Power: 1PC 4R25 6V battery

Function:Flashing(70 ± 5 times per minutes)and steady







Warning tape, caution tape, barricade tape

电池: 6V 4R25 Battery: 6V 4R25 💟

特点:

- 1) 4R25/6V
- 2)水银和镉
- 3)较好的防止泄漏
- 4) 规格齐全: D, C, AA, AAA, 9V, 4.5V and 6V 灯笼式电池

- 1) 4R25/6V
- 2) Mercury and Cadmium
- 3) Better protection against leakage
- and 6V lantern type battery







Model:CC-H01 Weigt: 0.5kg Color: Black





Model:CC-H02 Weigt: 0.5kg

Color: Yellow

Product Description

- 4) Full Sizes Available: D, C, AA, AAA, 9V, 4.5V









Product Description

大 大 大 MAOYUAN

- 1、A high quality, Hazard Warning Tape with a long lasting luminous effect for highlighting hazards in all light conditions and in difficult situations such as darkness and smoke.
- 2. Manufactured from low density polyethylene to combine high tensile strength with maximum flexibility.
- 3. Colourfast and long-lasting, cheap and effective.
- 4. Available in a wide range of designs and colours.







Automatic Cutter







安全背心 Safety vest

特点:

安全背心是用高能见度反光材料制成的,它能使交警及其他作业人员在夜间或特殊天气情况下顺利值勤,从而减少不必要的伤亡。在日 常生产生活中,特别是交通工程中起着特殊的安全保障作用。

Product Description

- 1. High visibility clothing for day & night use.
- 2. Extremely comfortable to wear.
- 3. Available in highly visible fluorescent Yellow or Orange.
- 4. Reflective tape enhances visibility.

- 5. Also available in EN 471 certifications.
- 6. Various options of branding on vests available.
- 7. This lightweight material is breathable and cool in hot weather yet durable enough for the construction industry.









Model (型号):CC-V07

Fabric:100% polyester mesh/netting Tape:Normal-vis reflective tape Color:Fluorescent yellow/orange Size:S-3XL

Closure:Zipper MEAS:100PCS/CTN/48x32x48cm G.W.:10KGS

N.W.:9KGS



Model(型号):CC-V08

Fabric:100% polyester tricot/knitting Tape:Hi-vis reflicetive tape(100G) Color:Fluorescent yellow/orange Size:S-3XL

Closure:Zipper MEAS:100PCS/CTN/48x32x48cm

G.W.:10KGS

N.W.:9KGS



Model (型号):CC-V09

Fabric:100% polyester mesh/netting Tape:Hi-vis PVC tape Color:Fluorescent yellow/orange Size:S-3XL Closure:Zipper

MEAS:100PCS/CTN/48x32x48cm

G.W.:10KGS

N.W.:9KGS



MAOYUAN

Model (型号):CC-V01

Conforms to EN471 Class2 Fabric:100% polyester tricot/ knitting Tape:Hi-vis reflicative tape(120G) Color:Fluorescent yellow/orange Size:S-3XL

Closure:Velcro MEAS:100PCS/CTN/48x32x48cm G.W.:16KGS

N.W.:14KGS



Model(型号):CC-V02

Conforms to EN471 Class2 Fabric:100% polyester tricot/knitting Tape:Hi-vis reflicetive tape(120G) Color:Fluorescent yellow/orange Size:S-3XL Closure:Velcro

MEAS:100PCS/CTN/47x32x45cm

G.W.:17KGS N.W.:15KGS



Model (型号):CC-V03

Conforms to EN471 Class2 Fabric:100% polyester tricot/knitting Tape:Hi-vis reflective tape(120G) Color:Fluorescent yellow/orange Size:S-3XL

Closure: Velcro

MEAS:100PCS/CTN/48x32x48cm

G.W.:16KGS

N.W.:14KGS



Model(型号):CC-V04

Fabric:100% polyester mesh/netting Tape:Normal-vis reflcetive tape Color:Fluorescent yellow/orange Size:S-3XL Closure:Velcro MEAS:200PCS/CTN/43x24x70cm G.W.:10KGS

N.W.:9KGS



Model (型号):CC-V05

Conforms to EN471 Class2 Fabric:100% polyester tricot/knitting Tape:Hi-vis reflcetive tape(120G) Color:Fluorescent yellow/orange Size:S-3XL Closure:Zipper MEAS:50PCS/CTN/44x24x32.5cm G.W.:8.6KGS N.W.:8.1KGS



Model (型号):CC-V06

Fabric:100% polyester mesh/netting Tape:Hi-vis PVC tape Color:Fluorescent yellow/orange Size:One size fits all Closure:Velcro MEAS:100PCS/CTN/57x45x30cm G.W.:22KGS N.W.:20KGS





分道体 Lane Separator / Lane Divider ▶

Product Description

- 1.Quickly and easily installed.
- 2. Highly visible reflective panels.
- 3.Strong indication of traffic lanes.






Model (型号):CC-K01 Material (材料):Plastic (塑料) Size (规格):220x143x290mm







5. Creates a dramatic picket fence effect, increases the visual barrier.





Model (型号):CC-K02 Base size:1000x250mm Post Height:450mm Material:Rubber

Model:CC-K03 Height:770mm Base size:995x208mm





陶瓷道钉 Ceramic Road Studs 🔽

Product Description

- 1.lts surface via glazed finish protection to resist weathering especilly during rain, excellent daytime visibility.
- 2. Color in Hi-Vision white or yellow ,available in different diameter .
- 3.A texture bottom helps it in place with epoxy glue.











Model 型 号	Specification 规格	Color 颜色	Reflector 反光片	QTY(PCS) 数量	MEAS(CM) 包装尺寸
CC-RS01	4"	Yellow or White	without	60	34x27x22
CC-RS02	C-RS02 6" Yellow or White		without/ Single-way/ Double-way	16	34x34x34
CC-RS03	8"	Yellow or White	without/ Single-way/ Double-way	10	43x35x32



塑料道钉 Plastic Road Studs >









CC-PS01

CC-PS02

CC-PS03

CC-PS04

Model 型 号	Specification 规 格(mm)	Color 颜 色	Reflector 反光片	QTY(PCS) 数量	MEAS(CM) 包装尺寸
CC-PS01	100x100x20	Yellow or White	Single-way	100	52.3x21.2x22.5
CC-PS02	100x100x20	Yellow or White	Double-way	100	52.3x21.2x22.5
CC-PS03	100×100×20	Yellow or White	Single-way or Double-way	100	52.3x21.2x22.5
CC-PS04	100×100×20	Yellow or White	Single-way or Double-way	100	52.3x21.2x22.5

铝道钉 Aluminum Road Studs 💟











CC-ALS01







CC-ALS02

Model 型 목	Specification 规格(mm)	Color 颜 色	Reflector 反光片	QTY(PCS) 数量	MEAS(CM) 包装尺寸
CC-ALS01	100×100×20	Yellow or White	Single-way or Double-way	50	16.5x29.5x17.5
CC-ALS02	100x100x20	Yellow or White	Single-way or Double-way	50	16.5x29.5x17.5







太阳能道钉 Solar Road Studs 💟







CC-SRS07



CC-SRS04

CC-SRS02

SRS02 CC-SRS06







CC-SRS05

C-SRS05

CC-SRS12

CC-SRS08

CC-SRS09 CC

CC-SRS10

Model 型 号	Specification 规格(mm)	LED QTY(PCS) LED数量	Material 材质	Battery 电池	QTY(PCS) 数量	MEAS(CM) 包装尺寸
CC-SRS02	110x90x23	2*3 (Red/Yellow/Green)	Aluminum Alloy+PC	Ni-MH 800mAH	60	41x28x28.5
CC-SRS04	103x103x23	2*2 (Red/Yellow/Green)	Aluminum Alloy+PC	Ni-MH 800mAH	60	41x28x28.5
CC-SRS05	103x103x23	2*3 (Red/Yellow/Green)	Aluminum Alloy+PC	Ni-MH 800mAH	60	41x28x28.5
CC-SRS06	110x97x24	6 (Red/Yellow/Green/Blue/White)	Aluminum Alloy+PC	Ni-MH 600mAH	50	38x25.5x29.5
CC-SRS07	125x25	3/6 (Red/Yellow/Green/Blue/White)	PC	Ni-MH 600mAH	50	38x25.5x29.5
CC-SRS08	105x105x25	4(Red/Yellow/Green/Blue/White)	Aluminum Alloy+PC	Ni-MH 600mAH	50	38x25.5x29.5
CC-SRS09	105×105×25	6 (Red/Yellow/Green/Blue/White)	Aluminum Alloy+PC	Ni-MH 600mAH	50	38x25.5x29.5
CC-SRS10	128x118x78	6 (Red/Yellow/Green/Blue/White)	Aluminum Alloy+PC	Ni-MH 600mAH	20	70x28.5x22
CC-SRS12	104x123x23	4(Red/Yellow/Green/Blue/White)	Shell-Aluminium Lens-Polycarbonate	Li 3.7V/500mAH	50	58.5x27x18

反光指挥棒 & LED闪光棒 Traffic Baton / Traffic Wands ▶





Model 型 号	Specification Function 规格(cm) 功能		Battery 电池	QTY(PCS) 数量	MEAS(CM) 包装尺寸
CC-RB01	(L)41x(DIA)4	Flash - Steady - Closed	Two D Batteries	60	46x35x57
CC-RB02	(L)54x(DIA)4	Flash - Steady - Closed	Two D Batteries	50	57x28x54
CC-RB03	(L)87x(DIA)4	Flash - Steady - Closed	Two D Batteries	48	92x36x46
CC-RB04	(L)41x(DIA)4	Flash - Steady - White Light - Closed	Two D Batteries	50	46x35x57
CC-RB05	(L)54x(DIA)4	Flash - Steady - White Light - Closed	Two D Batteries	50	57x28x54



警示三角牌 Safety Triangles / Warning Triangle 🔽









CC-WT01

CC-WT03

CC-WT04

CC-WT05









CC-WT06

CC-WT07

CC-WT08

CC-WT09

Model 型 号	Specification 规格(cm)	Certificate 证 书	Material 材质	QTY(PCS) 数量	MEAS(CM) 包装尺寸
CC-WT01	43×43×43	E-Mark	PS	20	46x32x32
CC-WT03	43x43x43	CE	PS	20	46x32x32
CC-WT04	43x43x43	E-Mark	PS	30	45x17x24
CC-WT05	43x43x43	E-Mark CE	PS	20	44.5x19.5x27
CC-WT06	43×43×43	E-Mark	PS	30	45x22x29.5
CC-WT07	41x41x41	1	PS	50	42x27x40
CC-WT08	42x42x42	T	PS	50	41.5x42x26
CC-WT09	26x26x26	1	PS	80	45x33x33





安全帽/安全头盔 Safety Helmets / Hard Hats 💟

Product Description

- 1.Offers side (lateral) impact protection, as well as side penetration protection.
- 2.Ratchet suspension allows user to adjust while wearing.
- 3.Easy to clean with warm water and soap.
- 4. They are designed to protect against falling objects in factory or building site.
- 5. The attachment slots for use with ear muffs or face shields.
- 6. The head band is adjustable for a sure, comfortable fit.
- 7. They are easy to use and lightweight.

Photo	Model	Style	Weight	QTY(PCS) 数量	MEAS(CM) 包装尺寸	MARKS				
ABS Material										
	CC-SHA01	V Design	435g	40	52x46x60	CE CERTIFICATION				
	CC-SHA02	V Design	384g	50	52x46x60	CE CERTIFICATION				
	CC-SHA03	Permeable V Design	390g	45	52x46x60	CE CERTIFICATION				
	CC-SHA04	Edge curl Design	357g	50	52x46x60	CE CERTIFICATION				
HDPE Material										
	CC-SHP01	V Design	344g	40	52x46x60	CE CERTIFICATION				
	CC-SHP02	V Design	327g	50	52x46x60	CE CERTIFICATION				
	CC-SHP03	V Design	262g	60	52x46x60	I				
	CC-SHP04	V Design	334g	60	52x46x63	I				





We specialize in production and developing safety products for traffic, industrial, construction and other related application.

Chixin safety provides the high quality traffic safety products and with the help of our strategic partners, we served 1000+ clients from more than 60 countries!







We started our partnership with Alibaba from 2008 and became the GOLD SUPPLIER to utilize Alibaba's great network to get WE Chixin known and distribute our products and services worldwide.







Made-In-China made us known as the main and professional manufacturer for the road safety products worldwide since Year 2008, and it is not only a business tool, but also more a bridge between the global clients and us.

